

Starlink Standard

Brand: Starlink

Product Code: SLP-0007

Stock: In Stock

Weight: 0.00lb

Dimensions: 0.00in x 0.00in x 0.00in



Price: \$550.00

Short Description

Starlink offers broadband internet service almost anywhere that has a clear view of the sky, making fast, reliable access available in remote areas that may never get access to traditional services like cable or fiber.

Description

By using a satellite link and a specially designed, fairly portable dish to give users a wireless connection to the larger web, it allows speedy internet for things like streaming, gaming, and video calling.

Starlink introduced the newest standard version in January 2024: Dish V4 and Gen 3 Router, which boast better specs and better durability. In conjunction with upgraded satellites overhead, they also promise better performance. The standard dish is 23.4 inches tall and 15.07 inches wide, giving it nearly twice the surface area of the Mini. This Gen 3 Router is a tri-band 4 x 4 MU-MIMO 802.11 a/b/g/n/ac/ax WiFi 6 router with two latching ethernet LAN ports and WPA2 security. It's compatible with up to three Starlink mesh nodes from Gen 2 and Gen 3. While the dish handles the interface between Starlink's satellites and the ground, this router will translate that signal into a high-speed connection for up to 235 devices.

The result is faster speeds, better coverage in your home, and even easier integration with

existing network hardware, whether it's a mesh network or a wired connection for a printer or network-attached storage (NAS) device.

Starlink Standard Satellite Internet Kit

The Starlink Standard dish kit includes a Gen 3 Router which is a tri-band 4 x 4 MU-MIMO 802.11 a/b/g/n/ac/ax WiFi 6 router with two latching ethernet LAN ports and WPA2 security for up to 235 devices. It is designed for stationary use and can operate in various weather conditions, making it suitable for residential and business applications.

What's included: Standard Starlink, Kickstand, Gen 3 Router, Gen 3 Starlink Cable (15 m or 49.2 ft), AC Power Cable (1.5 m or 4.92 ft), Power Supply Unit.

Delivery Available: Price includes delivery in Panama City. There may be an additional charge for delivery with [Uno Express](#).

Specifications

Package Weight

6.73 kg (14.83 lbs)

Package Dimensions

652.4 x 451.7 x 97.9 mm (25.69 x 17.78 x 3.84 in)

Antenna

Electronic Phased Array

Field of View

110°

Orientation

Software Assisted Manual Orienting

Weight

2.9 kg (6.4 lb)

3.2 kg (7 lb) with Kickstand

3.8 kg (8.3 lb) with Kickstand & 15 m Cable

Environmental Rating

IP67 Type 4

Operating Temperature

-30°C to 50°C (-22°F to 122°F)

Wind Speed

Operational: 96 kph+ (60 mph+)

Snow Melt Capability

Up to 40 mm / hour (1.5 in / hour)

Power Consumption

Average: 75-100W

Gen 3 Router:

Product Dimensions

43.4 x 298.6 x 120.4 mm (1.7 in x 11.76 in x 4.74 in)

Wi-Fi Technology

802.11 a/b/g/n/ac/ax

Generation

WiFi 6

Radio

Tri Band 4 x 4 MU-MIMO

Ethernet Ports

Two (2) Latching Ethernet LAN ports with removable cover

Coverage

Up to 297 m² (3,200 ft²)

Operating Temperature

-30°C to 50°C (-22°F to 122°F)

Weight

0.57 kg (1.25 lbs)

Security

WPA2

Environmental Rating

IP56 Rated (Water Resistant), configured for indoor use

Power Indicator

LED | face plate, lower left corner of router

Mesh Compatibility

Compatible with Starlink Gen 2 and Gen 3 Mesh Nodes, up to 3 Starlink Mesh Nodes

*Not compatible with 3rd party mesh systems

Devices

Connect up to 235 devices

Resources

- + [Starlink Standard Setup & Install Guide](#)
- + [Starlink Standard Specifications](#)
- + [Starlink App \(iOS\)](#)
- + [Starlink App \(Android\)](#)
- + [Installation Video – Standard Quick Start](#)
- + [Installation Video – Permanent Installation](#)

Video

Product Gallery





